

Part Mark	Profile	Qty	Grade	Length(mm)	Area(m2)	Weight(kg)
M1	RHS250*150*5.0	8	350	9219	7.2	275.7
M2	RHS250*150*5.0	8	350	7955	6.2	237.9
M3	EA125*125*12	7	300PLUS	607	0.3	13.7
M5	EA125*125*12	5	300PLUS	607	0.3	13.7
M7	EA125*125*12	2	300PLUS	607	0.3	13.7
M8	EA125*125*12	2	300PLUS	607	0.3	13.7
M9	UB460*67	1	300PLUS	14983	24.4	1009.1
M10	PLT12*312	1	250	350	0.2	10.3
M11	PLT12*340	1	250	350	0.3	11.2
M12	UA100*75*8	1	300PLUS	1270	0.4	13.1
M13	UA100*75*8	2	300PLUS	2900	1.0	29.8
M14	UA100*75*8	1	300PLUS	2900	1.0	29.8
M15	UA100*75*8	2	300PLUS	6160	2.1	63.3
M16	UA100*75*8	1	300PLUS	6590	2.2	67.8
M17	UA100*75*8	2	300PLUS	6160	2.1	63.3
M18	UA100*75*8	3	300PLUS	4960	1.7	51.0
M29	UB460*67	1	300PLUS	14581	23.8	982.1
M30	UA100*75*8	1	300PLUS	1770	0.6	18.2
M36	FL16*200	17	250	440	0.2	11.1
M37	EA200*200*13	12	300PLUS	200	0.2	8.0
M38	CHS139.7*3.0	2	350	4762	2.1	48.2
M39	CHS139.7*3.0	2	350	4960	2.2	50.2
M40	CHS139.7*3.0	2	350	4483	2.0	45.4
M41	FL12*250	2	250	580	0.3	13.7
M42	FL12*250	1	250	570	0.3	13.4
M43	FL12*200	4	250	300	0.1	5.7
M44	FL12*250	2	250	250	0.1	5.9
M46	FL12*130	4	250	330	0.1	4.0
M47	FL12*300	2	250	350	0.2	9.9
M48	FL12*300	2	250	350	0.2	9.9
M49	FL12*150	2	250	200	0.1	2.8
M50	FL12*150	18	250	150	0.1	2.1
M51	CHS165.1*3.5	8	350	6219	3.2	86.9
M53	EA65*65*6	2	300PLUS	9310	2.4	54.7
M54	EA65*65*6	2	300PLUS	9326	2.4	54.8
M55	EA65*65*6	2	300PLUS	8496	2.2	49.9
M56	EA65*65*6	2	300PLUS	8252	2.1	48.5
M57	EA50*50*6	2	300PLUS	9268	1.9	41.3
M59	EA50*50*6	8	300PLUS	9277	1.9	41.4
M60	EA50*50*6	2	300PLUS	8151	1.6	36.3
M61	UB250*26	3	300PLUS	3599	3.5	92.4
M62	EA50*50*5	16	300PLUS	2875	0.6	10.0
M63	UB310*32	1	300PLUS	7013	8.1	224.6
M64	UB310*32	1	300PLUS	7468	8.7	239.2
M65	UB200*22	1	300PLUS	1904	1.7	42.9
M66	UB200*22	1	300PLUS	6289	5.7	141.7
M67	UB200*22	1	300PLUS	3346	3.0	75.4
M68	UB200*22	1	300PLUS	11129	10.1	250.7
M69	UB200*22	1	300PLUS	4349	4.0	98.0
M70	UB200*22	1	300PLUS	2053	1.9	46.3
M71	UB200*22	1	300PLUS	1074	1.0	24.2
M72	UB200*22	1	300PLUS	1396	1.3	31.5
M73	UB200*22	1	300PLUS	2855	2.6	64.3
M74	UB360*45	1	300PLUS	8170	11.0	366.9

Part Mark	Profile	Qty	Grade	Length(mm)	Area(m2)	Weight(kg)
M75	UB360*45	1	300PLUS	19687	26.6	884.0
M76	RHS100*50*4.0	1	350	3198	0.9	27.1
M77	RHS100*50*4.0	1	350	3120	0.9	26.5
M78	RHS100*50*4.0	1	350	3042	0.9	25.8
M79	RHS100*50*4.0	1	350	3276	0.9	27.8
M80	RHS100*50*4.0	11	350	2969	0.8	25.2
M81	RHS100*50*4.0	1	350	3005	0.9	25.5
M82	RHS100*50*4.0	1	350	3080	0.9	26.1
M83	EA150*150*10	1	300PLUS	5749	3.4	125.9
M84	EA150*150*10	1	300PLUS	7038	4.2	154.1
M85	SHS89*89*5.0	3	350	2979	1.0	37.2
M86	SHS89*89*5.0	1	350	3807	1.3	47.5
M87	SHS89*89*5.0	1	350	3693	1.2	46.1
M94	PLT8*230	1	250	332	0.2	5.0
M95	CHS114.3*3.2	1	350	5468	2.0	48.1
M96	CHS114.3*3.2	1	350	6356	2.3	55.9
M97	CHS114.3*3.2	2	350	4903	1.8	43.1
M98	CHS114.3*3.2	4	350	6340	2.3	55.7
M99	CHS114.3*3.2	2	350	4883	1.8	42.9
M100	D16	1	300PLUS	6305	0.3	9.0
M101	D16	1	300PLUS	7098	0.3	10.1
M102	D16	1	300PLUS	11477	0.6	16.3
M103	D16	1	300PLUS	9620	0.5	13.7
M104	D16	1	300PLUS	8750	0.4	12.4
M105	D16	1	300PLUS	7794	0.4	11.1
M106	D16	1	300PLUS	4285	0.2	6.1
M107	D16	1	300PLUS	4319	0.2	6.1
M129	FL8*90	21	250	210	0.0	1.2
M131	UA100*75*8	1	300PLUS	2953	1.0	30.4
M132	UA100*75*8	1	300PLUS	3000	1.0	30.9
M133	UA100*75*8	1	300PLUS	4361	1.5	44.9
M134	UA100*75*8	1	300PLUS	5470	1.9	56.3
M135	UA100*75*8	1	300PLUS	5060	1.7	52.0
M136	UA100*75*8	1	300PLUS	1370	0.5	14.1
M137	FL12*130	2	250	530	0.2	6.5
M143	PFC200*75	1	300PLUS	15557	10.6	356.6
M144	PFC200*75	1	300PLUS	3599	2.4	82.5
M145	SHS75*75*5.0	1	350	1140	0.3	11.7
M146	SHS75*75*5.0	1	350	1604	0.4	16.5
M147	SHS75*75*5.0	1	350	2069	0.6	21.3
M148	EA150*150*10	2	300PLUS	200	0.1	4.4
M149	CHS114.3*3.2	2	350	3950	1.4	34.7
M154	PFC150*75	1	300PLUS	692	0.4	12.2
M155	PFC150*75	1	300PLUS	3366	2.0	59.4
M156	PFC150*75	1	300PLUS	1136	0.7	20.1
M157	PFC300*90	1	300PLUS	4784	4.4	191.9
M158	EA100*100*6	1	300PLUS	7290	2.8	67.0
M159	EA100*100*6	1	300PLUS	4906	1.9	45.1
M160	EA100*100*6	1	300PLUS	7180	2.8	65.9
M161	EA100*100*6	1	300PLUS	2380	0.9	21.9
M162	LYS-LC10230	1	G450	4793	2.0	22.6
M175	EA50*50*5	4	300PLUS	660	0.1	2.3
M176	EA50*50*5	16	300PLUS	1866	0.4	6.5
M178	LYS-C10019	1	G450	5639	2.5	18.1

Part Mark	Profile	Qty	Grade	Length(mm)	Area(m2)	Weight(kg)
M179	LYS-C10019	1	G450	5107	2.3	16.4
M180	LYS-C10019	1	G450	6917	3.1	22.2
M181	FL12*250	1	250	570	0.3	13.4
p1	RHS250*150*5.0	8	350	9267	7.2	277.2
p2	RHS250*150*5.0	8	350	7986	6.2	238.8
p3	EA75*75*6	16	300PLUS	752	0.2	5.1
p4	EA75*75*6	16	300PLUS	770	0.2	5.2
p5	EA75*75*6	16	300PLUS	919	0.3	6.3
p6	EA75*75*6	16	300PLUS	937	0.3	6.4
p7	EA50*50*6	16	300PLUS	1360	0.3	6.1
p8	EA50*50*6	16	300PLUS	1371	0.3	6.1
p9	EA50*50*6	16	300PLUS	1672	0.3	7.5
p10	EA50*50*6	16	300PLUS	1633	0.3	7.3
p11	EA50*50*6	16	300PLUS	1823	0.4	8.1
p12	EA50*50*6	16	300PLUS	1741	0.3	7.8
p13	EA65*65*6	16	300PLUS	2793	0.7	16.4
p14	EA65*65*6	16	300PLUS	2351	0.6	13.8
p15	EA65*65*6	16	300PLUS	2348	0.6	13.8
p16	EA65*65*6	16	300PLUS	1135	0.3	6.7
p17	EA65*65*6	16	300PLUS	1117	0.3	6.6
p18	PL32*350	48	250	400	0.3	35.2
p19	PLT12*350	1	250	380	0.3	12.5
p20	FL12*110	1	250	350	0.1	3.6
p21	FL8*75	166	250	145	0.0	0.7
p23	FL16*200	1	250	185	0.1	4.6
p24	FLT16*300	2	250	313	0.2	11.7
p25	FLT16*300	1	250	413	0.3	15.4
p26	FL10*150	16	250	250	0.1	2.9
p27	FL10*75	1	250	229	0.0	1.3
p28	FL10*75	16	250	250	0.0	1.5
p29	FL10*75	1	250	240	0.0	1.4
p30	FL10*75	1	250	239	0.0	1.4
p31	FL10*75	1	250	284	0.0	1.7
p32	FL10*75	1	250	231	0.0	1.4
p33	FL10*75	1	250	220	0.0	1.3
p34	FL10*75	1	250	311	0.1	1.8
p35	FL10*75	1	250	276	0.0	1.6
p36	FL10*250	1	250	468	0.2	9.2
p37	FL10*250	1	250	457	0.2	9.0
p38	PL10*214	1	250	449	0.2	5.5
p39	PL10*233	1	250	386	0.1	4.4
p40	FL10*150	1	250	169	0.1	2.0
p41	FL10*150	1	250	210	0.1	2.5
p42	FL10*150	5	250	180	0.1	2.1
p43	FL10*150	1	250	150	0.1	1.8
p44	FL10*130	1	250	150	0.0	1.5
p45	FL12*130	2	250	253	0.1	2.3
p46	FL12*130	2	250	273	0.1	2.6
p47	FL12*150	3	250	340	0.1	4.8
p48	FL12*250	3	250	340	0.2	8.0
p49	FLT12*207	1	250	220	0.1	2.1
p52	FL12*250	2	250	523	0.3	12.3
p53	FL12*250	2	250	487	0.3	11.5
p54	PL12*160	2	250	218	0.1	2.3

Part Mark	Profile	Qty	Grade	Length(mm)	Area(m2)	Weight(kg)
p55	PL12*160	2	250	218	0.1	2.3
p56	FL12*150	4	250	430	0.1	6.1
p57	FL12*130	1	250	180	0.1	2.2
p58	FL12*90	1	250	200	0.0	1.7
p59	FL12*150	24	250	195	0.1	2.8
p60	FL12*150	4	250	190	0.1	2.7
p61	FL12*90	6	250	330	0.1	2.8
p62	FL12*90	2	250	270	0.1	2.3
p63	FL12*90	4	250	150	0.0	1.3
p64	FL12*110	1	250	350	0.1	3.6
p65	FL12*110	2	250	320	0.1	3.3
p66	FL12*150	1	250	150	0.1	2.1
p67	FL12*130	3	250	260	0.1	3.2
p68	FL12*150	3	250	200	0.1	2.8
p69	FL12*150	1	250	195	0.1	2.8
p70	FL12*100	10	250	200	0.0	1.9
p71	FL12*100	1	250	195	0.0	1.8
p72	FL12*150	12	250	245	0.1	3.5
p73	FL12*180	16	250	245	0.1	4.2
p74	FL12*130	2	250	300	0.1	3.7
p75	FL12*150	2	250	580	0.2	8.2
p76	FL12*250	1	250	350	0.2	8.2
p77	FL12*250	1	250	350	0.2	8.2
p78	FL12*250	2	250	300	0.2	7.1
p79	FL12*130	2	250	300	0.1	3.7
p80	FL12*150	1	250	570	0.2	8.1
p81	FL12*150	1	250	570	0.2	8.1
p82	FL12*250	1	250	348	0.2	8.2
p83	FL12*250	1	250	334	0.2	7.9
p84	FL12*250	5	250	350	0.2	8.2
p85	FL12*250	5	250	350	0.2	8.2
p86	CHS101.6*3.2	3	350	279	0.1	2.2
p87	CHS101.6*3.2	3	350	2079	0.7	16.1
p89	FL10*75	1	250	240	0.0	1.4
p90	FL20*150	2	250	190	0.1	4.5
p91	RHS100*50*4.0	1	350	2915	0.8	24.7
p92	N12	40	300PLUS	334	0.0	0.3
p93	FL16*200	2	250	299	0.1	7.5
p94	FL20*200	1	250	330	0.2	10.4
p95	FL6*180	1	250	200	0.1	1.7
p96	FL6*90	3	250	90	0.0	0.4
p97	FL8*150	1	250	186	0.1	1.7
p98	PL8*230	1	250	270	0.1	3.9
p99	FL8*300	6	250	230	0.1	4.3
p100	FL8*75	57	250	195	0.0	0.9
p101	FL8*75	9	250	193	0.0	0.9
p102	FL5*75	32	250	180	0.0	0.5
p103	FL5*65	72	250	150	0.0	0.4
p105	M16_TURNBUCKLE	8	300PLUS	300	0.0	0.5
p106	EA75*75*8	1	300PLUS	294	0.1	2.6
p107	FLT8*146	21	250	160	0.1	1.5
p108	FL10*65	3	250	185	0.0	0.9
p109	FL10*90	2	250	150	0.0	1.1
p110	FL12*150	3	250	180	0.1	2.5

Part Mark	Profile	Qty	Grade	Length(mm)	Area(m2)	Weight(kg)
p111	FL12*150	1	250	179	0.1	2.5
p112	FL12*90	2	250	150	0.0	1.3
p113	FL12*150	3	250	220	0.1	3.1
p114	FL12*90	3	250	220	0.0	1.9
p115	FL10*100	1	250	100	0.0	0.8
p116	FL10*100	2	250	165	0.0	1.3
p117	RHS100*50*4.0	1	350	2915	0.8	24.7
p119	FL8*200	1	250	105	0.0	1.3
p120	PFC200*75	1	300PLUS	2206	1.5	50.6
p121	LYS-C10019	1	G450	1260	0.6	4.0
p122	LYS-C10019	1	G450	1260	0.6	4.0
p123	LYS-C10019	1	G450	1985	0.9	6.4
p124	LYS-C10019	1	G450	1985	0.9	6.4
p128	LYS-C10019	1	G450	2196	1.0	7.0
p129	LYS-C10019	1	G450	724	0.3	2.3
p130	LYS-C10012	1	G450	1763	0.8	3.6
p131	LYS-C10012	1	G450	2176	1.0	4.4
p132	LYS-C10012	1	G450	2240	1.0	4.5
p133	LYS-C10012	1	G450	2123	1.0	4.3
p134	LYS-C10012	1	G450	2006	0.9	4.1
p135	LYS-C10012	1	G450	1643	0.7	3.3
p136	LYS-C10012	1	G450	1523	0.7	3.1
p137	LYS-C10012	1	G450	1403	0.6	2.8
p138	LYS-C10012	1	G450	1283	0.6	2.6
p139	LYS-C10012	1	G450	1051	0.5	2.1
p140	LYS-C10012	1	G450	945	0.4	1.9
p141	LYS-C10012	1	G450	839	0.4	1.7
p142	LYS-C10012	1	G450	733	0.3	1.5
p143	FL10*75	1	250	275	0.0	1.6
p144	FL10*90	1	250	218	0.0	1.5
p145	FL10*90	2	250	175	0.0	1.2
p146	EA100*100*6	8	300PLUS	200	0.1	1.8
p147	FL6*50	19	250	50	0.0	0.1
p148	LYS-LC10230	2	G450	4793	2.0	22.6
p149	LYS-LC09530	1	G450	2212	0.7	8.1
p150	LYS-LC09530	5	G450	2258	0.8	8.2
p151	LYS-LC09530	4	G450	2442	0.8	8.9
p152	LYS-LC09530	4	G450	2468	0.8	9.0
p153	LYS-LC09530	1	G450	2258	0.8	8.2
p154	FL6*90	4	250	90	0.0	0.4
p155	FL10*50	5	250	75	0.0	0.3
p156	LYS-LC09530	1	G450	2212	0.7	8.1
p157	LYS-LC09530	4	G450	2212	0.7	8.1
p158	FL10*90	32	250	90	0.0	0.6
p159	FL6*50	2	250	100	0.0	0.2
p160	LYS-C10019	1	G450	2188	1.0	7.0
p161	LYS-C10019	1	G450	5126	2.3	16.4
p162	LYS-C10019	1	G450	3471	1.6	11.1
p163	LYS-C10019	1	G450	6942	3.1	22.3
Total for 1370 members:					773.2	24703.4